

# Attachment A: (PND-E) Standardized Depression Screening Assessments

Instruments for adolescents (12 to 17 years)	Positive finding
Patient Health Questionnaire (PHQ-9) <sup>®</sup>	Total score ≥ 10
Patient Health Questionnaire Modified for Teens (PHQ-9M) <sup>®</sup>	Total score ≥ 10
Patient Health Questionnaire-2 (PHQ-2) <sup>® 1</sup>	Total score ≥ 3
Beck Depression Inventory-Fast Screen (BDI-FS) <sup>® 1, 2, 3</sup>	Total score ≥ 8
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	Total score ≥ 17
Edinburgh Postnatal Depression Scale (EPDS)	Total score ≥ 10
PROMIS Depression	Total score (T Score) ≥ 60

Instruments for adults (18+ years)	Positive finding
Patient Health Questionnaire (PHQ-9) <sup>®</sup>	Total score ≥ 10
Patient Health Questionnaire-2 (PHQ-2) <sup>® 1</sup>	Total score ≥ 3
Beck Depression Inventory-Fast Screen (BDI-FS) <sup>® 1, 2</sup>	Total score ≥ 8
Beck Depression Inventory (BDI-II)	Total score ≥ 20
Center for Epidemiologic Studies Depression Scale-Revised (CESD-R)	Total score ≥ 17
Duke Anxiety-Depression Scale (DUKE-AD) <sup>® 2</sup>	Total score ≥ 30
Edinburgh Postnatal Depression Scale (EPDS)	Total score ≥ 10
My Mood Monitor (M-3) <sup>®</sup>	Total score ≥ 5
PROMIS Depression	Total score (T Score) ≥ 60
Clinically Useful Depression Outcome Scale (CUDOS)	Total score ≥ 31